

L Number	Hits	Search Text	DB	Time stamp
23	565568	600/(407-436).ccls.	USPAT; EPO; JPO; DERWENT	2004/04/05 10:27
24	100184	378/(4-90).ccls.	USPAT; EPO; JPO; DERWENT	2004/04/05 10:28
25	645929	(600/(407-436).ccls.) or (378/(4-90).ccls.)	USPAT; EPO; JPO; DERWENT	2004/04/05 10:28
26	1121	600/407.ccls.	USPAT; EPO; JPO; DERWENT	2004/04/05 10:28
27	88	378/5.ccls.	USPAT; EPO; JPO; DERWENT	2004/04/05 10:28
28	281	378/51.ccls.	USPAT; EPO; JPO; DERWENT	2004/04/05 10:28
29	183	378/89.ccls.	USPAT; EPO; JPO; DERWENT	2004/04/05 10:29
30	178	378/86.ccls.	USPAT; EPO; JPO; DERWENT	2004/04/05 10:29
31	123	378/87.ccls.	USPAT; EPO; JPO; DERWENT	2004/04/05 10:29
32	123	378/88.ccls.	USPAT; EPO; JPO; DERWENT	2004/04/05 10:29
33	3	600/407.ccls. and 378/89.ccls.	USPAT; EPO; JPO; DERWENT	2004/04/05 10:30
34	120110	(600/407.ccls. and 378/89.ccls.) nad attenuation	USPAT; EPO; JPO; DERWENT	2004/04/05 10:31
35	2	(600/407.ccls. and 378/89.ccls.) and attenuation	USPAT; EPO; JPO; DERWENT	2004/04/05 10:31
36	1037591	((600/407.ccls. and 378/89.ccls.) and attenuation) nad density	USPAT; EPO; JPO; DERWENT	2004/04/05 10:31
37	2	((600/407.ccls. and 378/89.ccls.) and attenuation) and density	USPAT; EPO; JPO; DERWENT	2004/04/05 10:31
38	1	((((600/407.ccls. and 378/89.ccls.) and attenuation) and density) and mineral	USPAT; EPO; JPO; DERWENT	2004/04/05 10:34
39	0	(((((600/407.ccls. and 378/89.ccls.) and attenuation) and density) and mineral) and deviation	USPAT; EPO; JPO; DERWENT	2004/04/05 10:34
40	21	378/89.ccls. and deviation	USPAT; EPO; JPO; DERWENT	2004/04/05 10:34
41	0	378/89.ccls. and deviation with acquisition	USPAT; EPO; JPO; DERWENT	2004/04/05 10:35
42	0	378/89.ccls. and faulty with acquisition	USPAT; EPO; JPO; DERWENT	2004/04/05 10:35

43	0	378/89.ccls. and bad with acquisition	USPAT; EPO; JPO; DERWENT	2004/04/05 10:35
44	0	378/89.ccls. and compare with acquisition	USPAT; EPO; JPO; DERWENT	2004/04/05 10:36
45	13	computer with bone with densitometry	USPAT; EPO; JPO; DERWENT	2004/04/05 10:48
46	13	computer with bone with densitometry	USPAT; EPO; JPO; DERWENT	2004/04/05 10:37
47	13	computer with bone with densitometry and x-ray	USPAT; EPO; JPO; DERWENT	2004/04/05 10:38
48	9	computer with bone with densitometry and x-ray and attenuation	USPAT; EPO; JPO; DERWENT	2004/04/05 10:38
49	3	computer with bone with densitometry and x-ray and attenuation and compare	USPAT; EPO; JPO; DERWENT	2004/04/05 10:48
50	280	bone with densitometry	USPAT; EPO; JPO; DERWENT	2004/04/05 10:48
51	0	bone with densitometry and "faulty acquisition"	USPAT; EPO; JPO; DERWENT	2004/04/05 10:48
52	0	bone with densitometry and faulty with acquisition	USPAT; EPO; JPO; DERWENT	2004/04/05 10:49
53	2	x-ray and faulty with acquisition	USPAT; EPO; JPO; DERWENT	2004/04/05 10:50
54	5	x-ray and faulty with motion	USPAT; EPO; JPO; DERWENT	2004/04/05 10:50
55	5	(x-ray and faulty with motion) not (x-ray and faulty with acquisition)	USPAT; EPO; JPO; DERWENT	2004/04/05 10:50